Traffic Engineering & Control: INDEX TO VOLUME 24, January 1983—December 1983

(1) Accuracy of estimation of turning flows from automatic counts, The: *L. J. Mountain and P. M. Westwell* (1.3)
(2) Alternative methods of intersection control subject to warrants: *R. L. Pretty* (6/7.296) *See also* 11.548
(3) Application of CONTRAM in Bahrain, The: *R. D. Coombe, T. J. Annesley and R. P. Goodwin* (2.50)
(4) Applications of the citizen participation approach to the quality of service—empirical findings: *D. Galin* (2.77)
(5) Automatic vehicle classification techniques: lane, speed and basic type classification: *P. Davies* (4.195)

(6) Baghdad's road to Urban Traffic Control: 1. Selection and design of junctions: *I. Wilkinson and M. Baker* (8.361)
(7) Baghdad's road to Urban Traffic Control: 2. Traffic control system philosophy: *I. Wilkinson and M. Watson* (9.418)

(8) Car driver route choice: a perception study of the 'rat-running' phenomenon at St Albans, Hertfordshire: *J. R. Duffell and P. J. Carden* (11.520)
Conference reports: *See* (28) (36)
(9) Conflict situations at bottlenecks on lower-volume roads: *W. J. Frith and D. S. Harte* (11.536)

(10) Deceleration of major-road vehicles approaching a T-junction: *V. Chrissikopoulos, J. Darzentas and M. R. C. McDowell* (9.433)

(11) Effects of low fares in South Yorkshire, The: *P. B. Goodwin* (9.428)
(12) Efforts towards the Third Edition of the *Highway Capacity Manual: R. P. Roess* (8.351)
(13) Electronic road pricing in Hong Kong: the pilot stage: *J. A. L. Dawson* (8.372)
(14) Estimating parameters in models of gap acceptance by queues: *M. J. Maher and R. J. Dowse* (5.252)
(15) Estimation of origin-destination flows and their confidence intervals from measurements of link volumes: a computer program: *M. G. H. Bell* (4.202)
(16) Evaluating traffic flow quality by a time series of noise: *D. Mahalel* (4.217)

(17) Factors affecting the use of public transport in cities in developed and developing countries: *S. Vijayakumar and G. D. Jacobs* (5.258)
(18) Formulae for predicting fuel consumption of cars: *R. Akçelik* (3.115) *See also* (4.231)

(19) Gap acceptance characteristics at unsignalised urban intersections: *A. Polus* (5.255)

(20) Hierarchy of vehicle fuel consumption models, A: *R. Akçelik, C. Bayley, D. P. Bowyer and D. C. Biggs* (10.491)

(21) Improvement of pedestrian facilities at 10 Pelican crossings in Leicestershire by the addition of an overlap period: *R. W. Pye* (9.424)

(22) Jakarta Traffic Management Study, The: 1. Engineering, education and enforcement: *M. Mogridge and R. Cuthbert* (6/7.301)
(23) Jakarta Traffic Management Study, The: 2. Assessment of PCU values: *R. Cuthbert* (8.366)
(24) Jakarta Traffic Management Study, The: 3. Impact of high 'para-transit' flows: *M. Mogridge* (9.441)

(25) Licence-holding and car availability: recent experience in South Yorkshire: *R. Donnison* (11.533)
(26) Lorry and coach overtaking on the motorway: *T. Wilson, R. Postans and G. Garrod* (6/7.311)

(27) Measure of deceleration of main road streams drivers at T-junctions, A: a regression analysis: *V. Chrissikopoulos* (12.589)

(28) New survey methods in transport (conference report): *P. Browning* (12.591)

(29) Operational analysis of traffic-actuated signal control: *F.-B. Lin* (12.573)
(30) Opportunities for new technology in parking meters: *G. E. Havers* (6/7.319)
(31) Overall effect on accidents at sites where Zebra crossings were installed, The: *J. R. Landles* (1.9)

(32) Parking requirements at suburban shopping centres—an investigation: *J. A. Codd* (3.119)
(33) Pedestrian planning in Greater Bombay: *P. S. Pasricha* (2.62)
(34) Prior information and the accuracy of turning flow estimates: *L. Mountain and D. Steele* (12.582)
(35) Probabilistic method for bus revenue estimation, A: *I. P. Savage* (1.32)
(36) PTRC Summer Annual Meeting 1983 (conference report): (8.379)
(37) Public transport co-ordination in shire counties—the East Sussex approach: *D. B. Charnock, J. Robbins and C. Brown* (10.471)
(38) Public transport demand forecasting model for Vancouver, A: *K. J. Button and F. Navin* (1.27)

(39) Recommendations about collecting bus headway data and estimating expected waiting times: *T. P. Hutchinson and J. P. Nicholl* (11.529)
(40) Residential trip generation socio-economic variable explanatory power performance: *L. C. Oosthuizen* (12.597)

(41) Safety at roadworks: *W. A. Harlow and D. H. Matthews* (4.207)
(42) Sheepscar signal system, The: an alternative approach to major intersection design: *M. S. Hallworth* (8.356)
(43) Some aspects of Area Traffic Control in semi-developed countries: *A. E. R. Cannell and C. Kaestner* (12.580)
(44) Speeding up the Furness Method: *M. J. Maher* (10.485)
(45) Stochastic processes in freeway traffic: I. Robust prediction models; and II. Incident detection algorithms: *S. A. Ahmed* (6/7.306)
(46) Study of the safety of one-way and two-way bridges on New Zealand State Highways, A: *W. J. Frith* (8.370) *See also* (9.452)

(47) TRAFFEX 83 International Traffic Engineering and Road Safety Conference and Exhibition—*Official Guide and Catalogue* contained within the March issue
(48) Traffic characteristics of a rural motorway: *D. J. Turner* (5.248)
(49) Traffic-responsive plan changes in simple linked signal systems: *I. G. Taylor* (3.165)
(50) Transport Operations Research Group, University of Newcastle upon Tyne—Progress Report 1982: *D. T. Silcock* (4.222)
(51) Transport research at the University of Leeds—Report for 1982: *H. R. Kirby* (3.170)
(52) Transport Studies Group, University College London—Progress Report 1982: *R. E. Allsop* (2.83)
(53) Travel to school in a London Borough: *G. Bell and C. P. A. Tether* (9.454)

(54) University courses in transport, 1984–1985: (11.543)
University Progress Reports: *See* (50) (51) (52)
(55) Usage of pedestrian footbridges: *A. E. Allos and A. R. Mohamad* (5.269)
(56) Use of prior information in gravity model calibration, The: *M. J. Maher* (2.68)
(57) Using SATURN to assess the impact of traffic management measures in Liverpool: *A. Choraffa and L. J. A. Ferreira* (1.14)

(58) Vehicles, PCUs and TCUs in traffic signal calculations: *B. G. Heydecker* (3.111)

(59) Work-site traffic controls in the U.S.: existing and new technologies: *R. F. Pain, F. R. Hanscom and H. W. McGee* (10.477)

Traffic Engineering & Control: INDEX TO VOLUME 24, January 1983—December 1983

(1) Accuracy of estimation of turning flows from automatic counts, The: *L. J. Mountain and P. M. Westwell* (1.3)
(2) Alternative methods of intersection control subject to warrants: *R. L. Pretty* (6/7.296) *See also* 11.548
(3) Application of CONTRAM in Bahrain, The: *R. D. Coombe, T. J. Annesley and R. P. Goodwin* (2.50)
(4) Applications of the citizen participation approach to the quality of service—empirical findings: *D. Galin* (2.77)
(5) Automatic vehicle classification techniques: lane, speed and basic type classification: *P. Davies* (4.195)

(6) Baghdad's road to Urban Traffic Control: 1. Selection and design of junctions: *I. Wilkinson and M. Baker* (8.361)
(7) Baghdad's road to Urban Traffic Control: 2. Traffic control system philosophy: *I. Wilkinson and M. Watson* (9.418)

(8) Car driver route choice: a perception study of the 'rat-running' phenomenon at St Albans, Hertfordshire: *J. R. Duffell and P. J. Carden* (11.520)
Conference reports: *See* (28) (36)
(9) Conflict situations at bottlenecks on lower-volume roads: *W. J. Frith and D. S. Harte* (11.536)

(10) Deceleration of major-road vehicles approaching a T-junction: *V. Chrissikopoulos, J. Darzentas and M. R. C. McDowell* (9.433)

(11) Effects of low fares in South Yorkshire, The: *P. B. Goodwin* (9.428)
(12) Efforts towards the Third Edition of the *Highway Capacity Manual: R. P. Roess* (8.351)
(13) Electronic road pricing in Hong Kong: the pilot stage: *J. A. L. Dawson* (8.372)
(14) Estimating parameters in models of gap acceptance by queues: *M. J. Maher and R. J. Dowse* (5.252)
(15) Estimation of origin-destination flows and their confidence intervals from measurements of link volumes: a computer program: *M. G. H. Bell* (4.202)
(16) Evaluating traffic flow quality by a time series of noise: *D. Mahalel* (4.217)

(17) Factors affecting the use of public transport in cities in developed and developing countries: *S. Vijayakumar and G. D. Jacobs* (5.258)
(18) Formulae for predicting fuel consumption of cars: *R. Akçelik* (3.115) *See also* (4.231)

(19) Gap acceptance characteristics at unsignalised urban intersections: *A. Polus* (5.255)

(20) Hierarchy of vehicle fuel consumption models, A: *R. Akçelik, C. Bayley, D. P. Bowyer and D. C. Biggs* (10.491)

(21) Improvement of pedestrian facilities at 10 Pelican crossings in Leicestershire by the addition of an overlap period: *R. W. Pye* (9.424)

(22) Jakarta Traffic Management Study, The: 1. Engineering, education and enforcement: *M. Mogridge and R. Cuthbert* (6/7.301)
(23) Jakarta Traffic Management Study, The: 2. Assessment of PCU values: *R. Cuthbert* (8.366)
(24) Jakarta Traffic Management Study, The: 3. Impact of high 'para-transit' flows: *M. Mogridge* (9.441)

(25) Licence-holding and car availability: recent experience in South Yorkshire: *R. Donnison* (11.533)
(26) Lorry and coach overtaking on the motorway: *T. Wilson, R. Postans and G. Garrod* (6/7.311)

(27) Measure of deceleration of main road streams drivers at T-junctions, A: a regression analysis: *V. Chrissikopoulos* (12.589)

(28) New survey methods in transport (conference report): *P. Browning* (12.591)

(29) Operational analysis of traffic-actuated signal control: *F.-B. Lin* (12.573)
(30) Opportunities for new technology in parking meters: *G. E. Havers* (6/7.319)
(31) Overall effect on accidents at sites where Zebra crossings were installed, The: *J. R. Landles* (1.9)

(32) Parking requirements at suburban shopping centres—an investigation: *J. A. Codd* (3.119)
(33) Pedestrian planning in Greater Bombay: *P. S. Pasricha* (2.62)
(34) Prior information and the accuracy of turning flow estimates: *L. Mountain and D. Steele* (12.582)
(35) Probabilistic method for bus revenue estimation, A: *I. P. Savage* (1.32)
(36) PTRC Summer Annual Meeting 1983 (conference report): (8.379)
(37) Public transport co-ordination in shire counties—the East Sussex approach: *D. B. Charnock, J. Robbins and C. Brown* (10.471)
(38) Public transport demand forecasting model for Vancouver, A: *K. J. Button and F. Navin* (1.27)

(39) Recommendations about collecting bus headway data and estimating expected waiting times: *T. P. Hutchinson and J. P. Nicholl* (11.529)
(40) Residential trip generation socio-economic variable explanatory power performance: *L. C. Oosthuizen* (12.597)

(41) Safety at roadworks: *W. A. Harlow and D. H. Matthews* (4.207)
(42) Sheepscar signal system, The: an alternative approach to major intersection design: *M. S. Hallworth* (8.356)
(43) Some aspects of Area Traffic Control in semi-developed countries: *A. E. R. Cannell and C. Kaestner* (12.580)
(44) Speeding up the Furness Method: *M. J. Maher* (10.485)
(45) Stochastic processes in freeway traffic: I. Robust prediction models; and II. Incident detection algorithms: *S. A. Ahmed* (6/7.306)
(46) Study of the safety of one-way and two-way bridges on New Zealand State Highways, A: *W. J. Frith* (8.370) *See also* (9.452)

(47) TRAFFEX 83 International Traffic Engineering and Road Safety Conference and Exhibition—*Official Guide and Catalogue* contained within the March issue
(48) Traffic characteristics of a rural motorway: *D. J. Turner* (5.248)
(49) Traffic-responsive plan changes in simple linked signal systems: *I. G. Taylor* (3.165)
(50) Transport Operations Research Group, University of Newcastle upon Tyne—Progress Report 1982: *D. T. Silcock* (4.222)
(51) Transport research at the University of Leeds—Report for 1982: *H. R. Kirby* (3.170)
(52) Transport Studies Group, University College London—Progress Report 1982: *R. E. Allsop* (2.83)
(53) Travel to school in a London Borough: *G. Bell and C. P. A. Tether* (9.454)

(54) University courses in transport, 1984–1985: (11.543)
University Progress Reports: *See* (50) (51) (52)
(55) Usage of pedestrian footbridges: *A. E. Allos and A. R. Mohamad* (5.269)
(56) Use of prior information in gravity model calibration, The: *M. J. Maher* (2.68)
(57) Using SATURN to assess the impact of traffic management measures in Liverpool: *A. Choraffa and L. J. A. Ferreira* (1.14)

(58) Vehicles, PCUs and TCUs in traffic signal calculations: *B. G. Heydecker* (3.111)

(59) Work-site traffic controls in the U.S.: existing and new technologies: *R. F. Pain, F. R. Hanscom and H. W. McGee* (10.477)

Authors:

Ahmed, S. A. (45)
Akçelik, R. (18) (20)
Allos, A. E. (55)
Allsop, R. E. (52)
Annesley, T. J. (3)

Baker, M. (6)
Bayley, C. (20)
Bell, G. (53)
Bell, M. G. H. (15)
Biggs, D. C. (20)
Bowyer, D. P. (20)
Brown, C. (37)
Browning, P. (28)
Button, K. J. (38)

Cannell, A. E. R. (43)
Carden, P. J. (8)
Charnock, D. B. (37)
Choraffa, A. (57)
Chrissikopoulos, V. (10) (27)
Codd, J. A. (32)
Coombe, R. D. (3)
Cuthbert, R. (22) (23)

Darzentas, J. (10)
Davies. P. (5)
Dawson, J. A. L. (13)
Donnison, R. (25)
Dowse, R. J. (14)
Duffell, J. R. (8)

Ferreira, L. J. A. (57)
Frith, W. J. (9) (46)

Galin, D. (4)
Garrod, G. (26)
Goodwin, P. B. (11)
Goodwin, R. P. (3)

Hallworth, M. S. (42)
Hanscom, F. R. (59)
Harlow, W. A. (41)
Harte, D. S. (9)
Havers, G. E. (30)
Heydecker, B. G. (58)
Hutchinson, T. P. (39)

Jacobs, G. D. (17)

Kaestner, C. (43)
Kirby, H. R. (51)

Landles, J. R. (31)
Lin, F.-B. (29)

Mahalel, D. (16)
Maher, M. J. (14) (44) (56)
Matthews, D. H. (41)
McDowell, M. R. C. (10)
McGee, H. W. (59)
Mogridge, M. (22) (24)
Mohamad, A. R. (55)
Mountain, L. (1) (34)

Navin, F. (38)
Nicholl, J. P. (39)

Oosthuizen, L. C. (40)

Pain, R. F. (59)
Pasricha, P. S. (33)
Polus, A. (19)
Postans, R. (26)
Pretty, R. L. (2)
Pye, R. W. (21)

Robbins, J. (37)
Roess, R. P. (12)

Savage, I. P. (35)
Silcock, D. T. (50)
Steele, D. (34)

Taylor, I. G. (49)
Tether, C. P. A. (53)
Turner, D. J. (48)

Vijayakumar, S. (17)

Watson, M. (7)
Westwell, P. M. (1)
Wilkinson, I. (6) (7)
Wilson, T. (26)

The Improved Design of VOLUME BINDERS

now available to readers of *Traffic Engineering & Control* securely and conveniently retains a year's copies not by metal rods, but by bonded nylon cords of great strength and durability—these can be stretched 3–4 inches from the spine to allow the easy insertion or removal of individual issues.

Each binder—covered in red Balacron PVC-coated board, and with the journal's name in gold foil on the spine—is supplied with a gold-foil, self-adhesive abbreviation of the Volume Number and Calendar Year—e.g. 24–83 for Vol. 24, 1983; 25–84 for Vol. 25, 1984; and so on—which is easily affixed to a special panel on the spine. *It is essential that, when ordering, you specify the Calendar Year required.*

The binders cost £3.00 ($6.00) each, inclusive of inland/overseas postage, giving readers the opportunity to shelve their year's copies of *Traffic Engineering & Control* neatly and at the very reasonable cost of about 25 pence or 50 cents an issue. Send your instructions (remembering to specify a Calendar Year, and enclosing payment if possible) to

Printerhall Ltd
29 Newman Street
London W1P 3PE

This publication is available in microform.



University Microfilms International

Please send additional information for _____
Name _____
Institution _____
Street _____
City _____
State _____ Zip _____

300 North Zeeb Road
Dept. P.R.
Ann Arbor, Mi. 48106
U.S.A.

30-32 Mortimer Street
Dept. P.R.
London W1N 7RA
England